

EFFICIENT LINE TOP-MOUNT SAND FILTER SYSTEM



All-weather
performance



Easy Operation
and Maintenance



Energy Saving


FEATURED HIGHLIGHTS

- Systems are designed for quick assembly and precise alignment of components
- Pumps and filters are performance-matched to provide maximum flow and energy efficiency
- Optional microprocessor pump timer available
- Optional with or without pre-filter
- Filter bases are molded of rugged plastic for long-lasting, all weather performance 4-position valve provides maximum flow at low pressure drop



DIMENSIONS

Units: MM (IN)



| A | B | C | D | E |
|-----------|------------|-----------|-------------|-------------|
| 458 (18") | 166 (6.5") | 304 (12") | 621 (24.5") | 298 (11.7") |

ORDER GUIDE

Sand Filter System with CE Pump

| MODEL NUMBER | FILTER Φ | DESIGNED FLOW RATE M ³ /H | PUMP /HP | VOLTAGE /HERTZ | VALVE | NET WEIGHT KGS |
|--------------|-------------|---|---|-------------------|-------|-------------------|
| 72012 | 73030/12" | 7 | 72512/0.25 hp without pre-filter | 230/50 | 4-way | 7.7 |
| 72013 | 73030/12" | 7 | 72513/0.25 hp with pre-filter | 230/50 | 4-way | 9.2 |
| 72014 | 73030/12" | 10 | 72514/0.35 hp without pre-filter | 230/50 | 4-way | 8.6 |
| 72015 | 73030/12" | 10 | 72515/0.35 hp with pre-filter | 230/50 | 4-way | 9.8 |
| 72016 | 73030/12" | 8 | 72516/0.25 hp with pre-filter and timer | 230/50 | 4-way | 8.8 |
| 72017 | 73030/12" | 10 | 72517/0.35 hp with pre-filter and timer | 230/50 | 4-way | 10.3 |

ORDER GUIDE

Sand Filter System with ETL Pump

| MODEL NUMBER | FILTER Φ | DESIGNED FLOW RATE GPM | PUMP /HP | VOLTAGE /HERTZ | VALVE | NET WEIGHT LBS. |
|--------------|-------------|---------------------------|---|-------------------|-------|--------------------|
| 72212 | 73030/12" | 35 | 72712/0.25 hp without pre-filter | 115/60 | 4-way | 16.8 |
| 72213 | 73030/12" | 35 | 72713/0.25 hp with pre-filter | 115/60 | 4-way | 19.2 |
| 72214 | 73030/12" | 44 | 72714/0.35 hp without pre-filter | 115/60 | 4-way | 18.8 |
| 72215 | 73030/12" | 44 | 72715/0.35 hp with pre-filter | 115/60 | 4-way | 21.1 |
| 72216 | 73030/12" | 35 | 72716/0.25 hp with pre-filter and timer | 115/60 | 4-way | 19.4 |
| 72217 | 73030/12" | 44 | 72717/0.35 hp with pre-filter and timer | 115/60 | 4-way | 20.9 |