



Splash Compact Filtration Unit

CONTACT US


+201000091054

+201097003342

marketing.technical@splash-egypt.com

Components :

- Filtration pump : 1pc
- Filtration bag : 2pcs
- Filtration basket : 1pcs
- Pre-filter : 1pcs
- 50w transformer IP65 : 1pcs
- Front jet : 1pcs
- Side jet : 1pcs
- Underwater light 24w/12v : 1pcs
- Vacuum port with plug : 1pcs
- 3-way valve : 1pcs
- Ball valve : 2pcs
- Optional : Handrails : 2 pcs
- Control panel : 1pcs



CONTACT US

+201000091054
+201097003342
marketing.technical@splash-egypt.com



Technical characteristics :

1- Unit :

- Installation : Wall mounting
- Dimensions : 718*1121*1220mm
- Materials : polyethylene
- Chemical resistant & UV protection

2- pump :

- Pump Material : Thermoplastic
- Pump Capacity : 1.5 hp
- Pump Head : 6m
- Pump Flow : 24.8 m³/h
- Power : 30v/60Hz
- DIN-IN : 50mm
- DIN-OUT : 50mm
- Protection : IP55
- Thermal Protector : TI.USA
- Insulation : F
- protection : 1P55
- power: up to 1.5 HP
- Insulation : F
- Q max : 15 m³/h
- voltage : 220v/50HZ
- Max flow: 26 m³/h at head 4 m
- Max head: 16 m at flow 15 m³/h
- Operation noise : <= 50 Db
- Model : Streamer Mini
- Brand : Gemas
- Oregin : Turkey



3- Filter :

- Filter Material : 100% Polyester
- Precision of filtration bag : 6. Microns
- Filter Weight : 450gm/m²
- Thickness : 2mm
- Operating Temp. : 135°C / dry
- Operating Temp. : 95°C / moist
- Acidic Resistance : good
- Alkalies Resistance : poor
- Organic Solvents Res. : good
- Hydrolysis Res. : poor



4-Underwater light :

- IP : 68
- Color : white/ daylight/ blue/ RGB
- Watt : 24w
- Voltage : 12v
- Lumin : 1500 lumin
- Model : ECOslim. LED
- Brand : GEMAS
- Origin : Turkey




CONTACT US

+201000091054


+201097003342

marketing.technical@splash-egypt.com


FU-dimensios :



Top view



side elev.



Front elev.

CONTACT US

+201000091054
+201097003342
marketing.technical@splash-egypt.com